



Contents



Our Story		2
The Art of Manufacturing		4
Self Service Car Wash		6
	SFERICAQUADRA NOVATERTIS	6 10 14
	• LEGGERA	18 22
Technology		26
	 Technical Room Water Treatment HP Pumps and Solenoid Valves Water Heating System 	26 27 28 29
	 Low Pressure Pipes Main Control Unit Diagnostics & Telemetry Payment Models + R2W Moneychanger (Integrated and Stand Alone) 	30 .31 .32 .33 .34
A 1 19:	Washing Programs	35
Additional Equipment	Model MULTIQE 3 in 1	36
	Model NET Model QUADO Model QUADO 2 in 1 Model MALI	38 39 40 41
Periphery	• Model MALI	42
т епрпету	 Lamp Post CONCORDE Waste Bin MONO Waste Bin DUE Carpet Agitator CAR MAT Carpet Holder & Agitator Sink With Faucet CLIP Carpet Holder Lance Holder Brush Holder Ceiling Boom Wing Ceiling Boom Wing Duo Ceiling Boom Wing Speedster Ceiling Boom Wing Vacuum Vacuum Cleaner Hose Carrier with Spring Helmet Holder Traffic Light PRIMO 	43 44 45 46 47 48 49 50 51 52 53 54 55 56 57






Projekt je sufinancirala Europska unija iz Europskog fonda za regionalni razvoj. Sadržaj publikacije isključiva je odgovornost tvrtke Adriateh d.o.o.

Za više informacija o EU fondovima: www.strukturnifondovi.hr



ADRIATCH

Our Story



TECHNOLOGY MEETS ART

ADRIATEH

The Art of Manufacturing

Our motto is to think individual. Every new order has its own specification and our team of 90 enthusiasts clearly follows new requirements supported with state of the art machinery, mastering an outstanding product. Responsible for every single element crafted in our factory we can say it is truly "our product". Approximately 1500 components are assembled into

one system where quality has been placed on the highest level. That is why we collaborate only with the best brands supplying us with "heavy duty" components able to perform toughest demands.

Being transparent with our customers means being loyal. Following that thought we can proudly say that all our components in technical room are labeled with original manufacturers brand name. Our mission is a knowhow of their performance formed into one complex machine providing only the best output.

Our intellectually patented designs are harmonized with EU standards and quality controlled through SGS ISO 9001-2000 certification





ADRIATEH

TECHNOLOGY MEETS ART

Self Service Car Wash SFERICA

ADRIATEH

AND WITH HILL

Simple and effective. Designed with the aim to catch the attention of potential customers.

With "WA" facelift version we have uplifted the overall look&feel in order to maintain extraordinary appearance.





For everything else here is cutting edge technology!

Confirmed formula for successful business.

STANDARD

SFERICA Car Wash Structure





DIMENSIONS

Wash bay width	4700 mm
Technical room bay width	3000 mm
Depth	6800 mm
Height	max. vehicle height 2.6 m

TECHNICAL DESCRIPTION

- Arches, beams, carriers, metal parts are made of stainless
- Wash bays and technical room separated with insulated 30mm
- Spehrical Polycarbonate roof with steel beams, welded edges
- Decorative masks for roof endings available
- Plastic drainpipes (without discharge to sewage), assembly at
- Standard Static calculation: Top Load (Snow) of

LIGHTING OF WASH STATION

• Permanent lighting (activated automatically after dusk) 4 LED

ADDITIONS TO THE CAR WASH STRUCTURE:

- WA design of panel dividers as visible on photos
- Traffic light for showing occupancy of each wash bay
- Barrier against splashing for open wash bay, outer side
- Wash bay separations available in coloured plexi

CONTROL UNIT

- Stand alone housing made of stainless steel,
- Control unit equipped with 6" Schneider Touch screen
- STOP button installed on each control unit for





Self Service Car Wash QUADRA NOVA


Conventional and comfortable, yet different. Again we were thinking about You, in order to provide complete experience to your end customers.






STANDARD

QUADRA NOVA Car Wash Structure





DIMENSIONS

Wash bay width	5100 m
Technical room bay width	3000 m
Depth	6800 mm
Height	max. vehicle height 2.6 m



TECHNICAL DESCRIPTION

- Beams, carriers, metal parts are made of stainless steel except roof transverse beams which are made of hot galvanized steel
- Each Wash bay is equipped with 4 LED lamps
- Integrated digital token machine in every wash bay made of stainless steel, burglary safe with key and lock
- Roof insulated panel 40+80mm, RAL 9002 white, self-supporting model
- Wall insulated smooth panel dividers 30mm, RAL 9002 white, placed between wash bays

OPTION:

Wall insulated smooth panels can be covered with matte laminated adhesive label with standard Adriateh artwork design.

CONTROL UNIT

- Integrated digital interface unit in every wash bay equipped with 6 inch Schneider Touch screen with possibility to use six different coins
- STOP button integrated in touchscreen interface for emergency stop or for operation stopping (time goes on)
- Housing made of stainless steel, burglary safe









Self Service Car Wash TERTIS

Avant-garde is in front of you! "State of the art" design will satisfy users who appreciate the aesthetic value.







Allow your customers to feel special & outstanding.

Allow them Tertis!

STANDARD

TERTIS Car Wash Structure





DIMENSIONS

Wash bay width	5000 mm
Technical room bay width	3000 mm
Depth	6800 mm
Height	max. vehicle height 2.6 m



CONTROL UNIT

- Integrated digital interface unit in every wash bay equipped with 6 inch Schneider Touch screen with possibility to use six different coins
- STOP button integrated in touchscreen interface for emergency stop or for operation stopping (time goes on)
- Housing made of stainless steel, burglary
 safe
- Roof insulated panel 40+80mm, RAL 9002 white, self-supporting model
- Wall insulated smooth panel dividers 30mm, RAL 9002 white, placed between wash bays



TECHNICAL DESCRIPTION


 Beams, carriers, metal parts are made of stainless steel except roof transverse beams which are made of hot galvanized steel

LIGHTING OF WASH STATION

• Each Wash bay is equipped with 4 LED lamps



 Wall insulated smooth panels can be covered with matte laminated adhesive label with standard Adriateh artwork design



ADRIATCH


Self Service Car Wash LEGGERA

Light and approachable. Simple assymetrical design assure standing out from the crowd. The "heart" of all our designs is supported with cutting edge technology.





LEGGERA Car Wash Structure





DIMENSIONS

Wash bay width	5000 mm
Technical room bay width	3000 mm
Depth	6200 mm
Height	max, vehicle height 2.6 m

TECHNICAL DESCRIPTION

- Beams, carriers, metal parts are made of stainless steel except roof transverse beams which are made of hot galvanized steel
- Each Wash bay is equipped with 4 LED lamps



CONTROL UNIT

- Integrated digital interface unit in every wash bay equipped with 6 inch Schneider Touch screen with possibility to use six different
 coins
- STOP button integrated in touchscreen interface for emergency stop or for operation stopping (time goes on)
- Housing made of stainless steel, burglary safe
- Roof insulated panel 40+80mm, RAL 9002 white, self-supporting model
- Wall insulated smooth panel dividers 30mm, RAL 9002 white, placed between wash bays



OPTION:

 Wall insulated smooth panels can be covered with matte laminated adhesive label with standard Adriateh artwork design








Self Service Car Wash MARTINA

Future today. An inspiration which leaves you breathless. Pure High tech in every sense of the word. Nothing similar was seen on the market yet and we are sure your car wash users will love it.


NOTE: Car Wash model from the photos contains non-standard options.






STANDARD

MARTINA Car Wash Structure





DIMENSIONS

Wash bay width	5000 mm
Technical room bay width	3000 mm
Depth	6200 mm
Height	max, vehicle height 2.6 m

TECHNICAL DESCRIPTION

- Beams, carriers, metal parts are made of stainless steel except roof transverse beams which are made of hot galvanized steel
- Each Wash bay is equipped with 4 LED lamps

CONTROL UNIT

- Integrated digital interface unit in every wash bay equipped with 6 inch Schneider Touch screen with possibility to use six different coins.
- STOP button integrated in touchscreen interface for emergency stop or for operation stopping (time goes on)
- Housing made of stainless steel, burglary safe
- Roof insulated panel 40+80mm, RAL 9002 white, self-supporting model
- Wall insulated smooth panel dividers 30mm, RAL 9002 white, placed between wash bays

OPTION:

 Wall insulated smooth panels can be covered with matte laminated adhesive label with standard Adriateh artwork design.









Technical Room

TYPE 1 with dimensions:

• W: 2330mm x L: 5960mm x H: 2580mm

TYPE 2 with dimensions:

- W: 1500mm x L: 5960mm x H: 2580mm
- Internal height 2345mm, strengthening made of steel pipes, under the container galvanized sheet metal thickness 2mm from the lower side, reinforced bearing structure, rock wool insulation 100 mm, steam dam of PE films, wooden waterproof panels + end plate of aluminium anti-slide 2+1 mm ("Tear" design)
- Container top upside flat galvanized sheet metal thickness 0.5 mm, polyurethane insulated sheet metal panels thickness 50 mm underside.
- Walls of container polyurethane insulated sheet metal panels thickness 50mm
- Insulated metal door with dimensions: 2030 x 850 mm
- Standard outside colour Anthracite RAL 7016, Adriateh logo on the top edges of stainless steel frame
- LED lighting in technical room with switch
- Electrical heater Vaillant for a container interior





Water Treatment

FILTER FOR WATER ENTERING OSMOSIS SYSTEM

- Fresh water filter on stainless steel carrier, with replaceable 50 micron cartridge
- Electronically controlled central unit for water softening 5000 l/hour, DUPLEX system with 200 I salt container.
- Electronically controlled central unit for osmotic water ("spot-free" rinsing), three (3) membranes (Cartridges in stainless steel)
- Osmosis returns the labour surplus water to reservoir of soft water (reduced waste)
- Automatic switching between osmosis and softener; in case of water supply failure all available water from all programs is pumped for washing
- Central dosing system with electronic float, inox spiral controlled electronically with possibility of individual regulation of chemicals for each wash program, each wash bay separately if one of pumps breaks down other wash bays operate normally


OPTION:

- Anti-freeze system in circulation
- Reservoir for this system must be arranged by investor/client building it into the ground
- Settings and controls manageable on touch screen computer









ADRIATCH

HP Pumps and Solenoid Valves

HIGH PRESSURE PUMPS MODEL CAT 350

- Made in Japan, with pressure shock absorbers and safety valves installed as standard
- Electric motors strength 2,2kW, 400V, 945 rpm


GRUNDFOS GROUP WATER PUMPS

DANFOSS ELECTROMAGNETIC VALVES

 Dosing pumps for wax and all other washing chemistry/programs with possibility of individual regulation, for each wash bay separately - if one of pumps breaks down other wash bays works normally

OPTION:

 BURKERT Air valves made of stainless steel for extended life span









Water Heating System

ACV HEATMASTER-N: HIGH PERFORMANCE, COMBINED DIRECT FIRED BOILER AND WATER HEATER

• Energy type: Diesel or Gas


TECHNOLOGY MEETS ART

- Stainless steel tank in tank design. Can also be used as a stand alone water heater.
- Low NOx premix gas or LPG Forced draught natural gas or LPG Pressure jet 28 sec or 35 sec oil
- Anti-Legionellae: Hot water stored at a consistently high temperature
- Body completely insulated in rigid polyurethane foam
- Stove enameled casing
- Control panel with Control Thermostat, T+P Gauge, Time Clock, Manual reset high limit thermostat, On/Off Switch, Summer/Winter Switch
- Polyethylene ROTEX water tanks required for the operation of the machine
- Inlet water tank capacity 1,000L
- Softened water tank capacity 1.000L and osmotic water tank capacity 2 X 1.000L
- Electronic floats for reservoirs



- Geberit low pressure pipes, homogeneous and non-delaminating composite pipe
- Internally and externally corrosion resistant
- Low thermal expansion
- Diffusion resistant
- All layers are bonded with adhesive ensuring a strong flexible pipe





ADRIATCH



Main Control Unit

- Protected electrical cabinet with all built in electronic elements
- Machine management and supervision through Schneider computer equipped with 11" touchscreer interface
- Billing preferences manageable through PIN PROTECTED Menu
- Reading of traffic at any workplace, as total and from last reset, summation of the current traffic and traffic total for all wash bays
- Self-diagnostic system, in case of failure, locations shown on scheme along with explanation (approximately 90% of failures) Osmosis, water softener central powder agitator, anti-freeze system, lighting and all operations of the machine management and supervision through touch screen Schneider computer
- Automatic anti-freeze system with settings and controls Schneider touchscreen interface, with electromagnetic valves. Adriateh use valves which are "normally opened", it means when under voltage they are "closed" and they are managed by the machine PLC.
 In a case of electric power failure, valves are opened and using this way an anti-freeze system is working and protecting complete machine.










Diagnostics & Telemetry

ADDITATION

- Remote reading of complete
- Graphic and textual overview of
- Graphic and textual report of
- Separated counters for coins,





Payment Models + R2W

YOUR CUSTOMER HAS NEW HABITS. CAN YOU ANSWER?

Real-time Reports

盾形状 -tood

- Financial overview for a single or multiple car wash
- Management of multiple car wash stations, from any
- Reward program for your loyal customers
- Cashless payment for Car Wash services
- To spread business outside of the car wash

SECURE REAL-TIME REPORTS

YOUR CAR WASH IS JUST A CLICK AWAY

LOYALTY & CUSTOMER CARE

SECURE CASHLESS PAYMENT AND DIGITAL TOKENS

SPREAD YOUR BUSINESS

your car wash and merge with various local businesses.

READY2WASH SOLUTION INCLUDES:

- Ready2Wash app for car wash owners
- Ready2Wash mobile app for car wash users
- MY Ready2Wash web portal for car wash users





Moneychanger (Integrated and Stand Alone)

money change machine can be

OPTIONS:

- Coin acceptor
- Additional hopper
- Euro-key acceptor
- Printer for billing
- Decorative stainless steel mask



Washing Programs

















Additional Equipment


Nowadays, Vacuum cleaner

Tyre care with the functionalities of



Model MULTIQE 3 in 1

We can offer several products in Model MULTIQE 3 in 1 housing.



MEASURES	
LENGTH	1085 mm
WIDHT	850 mm
HEIGHT	1680 mm
WEIGHT	135 kg

PRODUCT 1

VACUUM CLEANER or SELF CLEANING VACUUM CLEANER

+ SHINY BLACK TYRE

+ PARFUME FOR CAR

PRODUCT 2

VACUUM CLEANER or SELF CLEANING VACUUM CLEANER

+ SHINY BLACK TYRE

+ WINDSCREEN LIQUID

PRODUCT 3

VACUUM CLEANER or SELF CLEANING VACUUM CLEANER

+ PARFUME FOR CAR

+ WINDSCREEN LIQUID



Model NET

We can offer several products in Model NET housing like

Vacuum Cleaner, Tyre Inflator and Dry Cleaner.

MEASURES		
LENGTH	630 mm	
WIDHT	530 mm	
HEIGHT	1780 mm	
WEIGHT	108 kg	

PRODUCT 1

VACUUM CLEANER /

SELF CLEANING VACUUM CLEANER

• Housing completely from stainless steel - material weight 57 kg

• 3 kW turbine

• Designed for 6 different coins or tokens

• PLC for time, money turnover and business management

• Anti theft measure - 30mm recessed door

• Separated doors, telescopic door opening for PLC and token machine and other door for cleaning and emptying the container

• OPTION: Hose carrier with spring



HOSE CARRIER

with spring

PRODUCT 2

TYRE INFLATOR MACHINE

PRODUCT 3

DRY CLEANING



Model QUADO

We can offer several products in Model QUADO housing like Vacuum Cleaner, Tyre Inflator, Tyre Lubricant, Parfume for car interior and Windscreen Liquid.

MEASURES		
LENGTH	630 mm	
WIDHT	530 mm	
HEIGHT	1480 mm	
WEIGHT	95 kg	

- Housing completely from stainless steel
- 3 kW turbine
- Designed for 6 different coins or tokens
- PLC for time, money turnover and business management
- **OPTION:** Hose carrier with spring



VACUUM CLEANER



TYRE INFLATOR MACHINE

PRODUCT 3

TYRE LUBRICANT

PRODUCT 4

PARFUME FOR CAR **INTERIOR**

PRODUCT 5

WINDSCREEN LIQUID





Model QUADO 2 in 1

We can	offer	several	products
iv	n Mode	el QUAD	O housing.

ADRIATCH

MEASURES		
LENGTH	630 mm	
WIDHT	530 mm	
HEIGHT	1480 mm	
WEIGHT 95 kg		

Housing completely from stainless steel

- 3 kW turbine
- Designed for 6 different coins or tokens
- PLC for time, money turnover and business management
- **OPTION:** Hose carrier with spring

PRODUCT 1	PRODUCT 2
SHINY BLACK TYRE	SHINY BLACK TYR
+ TYRE INFLATOR	+ PARFUME FOR CA

PRODUCT 3
PARFUME FOR CAR INTERIOR

+ TYRE INFLATOR

PRODUCT 4
PARFUME FOR CAR INTERIOR
+ WINDSCREEN LIQUID

PRODUCT 5	
WINDSCREEN LIQUID	
+ TYRE INFLATOR	
OPTION: ONE PAYMENT /	

PRODUCT 6
WINDSCREEN LIQUID
+ SHINY BLACK TYRE



Model MALI

We can offer several products in Model MALI housing like Tyre Lubricant, Wheel Cleaner or Insects remover, Parfume for car interior and Windscreen Liquid.

MEASURES	
LENGTH	473 mm
WIDHT	400 mm
HEIGHT	1480mm
WEIGHT	58 kg



PRODUCT 1

SHINY BLACK TYRE

PRODUCT 2 WHEEL CLEANER / **INSECTS REMOVER**

PRODUCT 3

PARFUME FOR CAR INTERIOR

PRODUCT 4

WINDSCREEN LIQUID

WITH or WITHOUT payment





Periphery

After 25 years of experience in Self Service Car Wash Business we can proudly present Adriateh peripheral product line as a result of intensive collaboration with our loval customers.

High quality, robust, easy handling and innovative products

nade out of corrosion resistant naterials were the right formula for development of daily use assortment on your beloved Car Wash station.

Stay different. We believe in enriching your Car Wash Station


vith products and experiences which will differ you from the othe Car Wash providers.

our development does not ends here as we constantly monitor customers behavior and continuosly improve their experience. Lamp Post CONCORDE

Designed from the ground up as a street and rea lighting system, the Concorde lamp post model combined with CREE, XSP High Output ED light delivers incredible efficiency without acrificing application performance.

The XSP High Output Series is the better alternative for traditional street and area ighting with quick payback and improved performance.

Applications: Car Wash lots, parking lots, roadway, walkways and general area spaces.







CONC	ORDE 4
LENGTH	1005 mm
WIDHT	720 mm
HEIGHT	4150 mm
WEIGHT	X

CONC	ORDE 5
LENGTH	1005 mm
WIDHT	720 mm
HEIGHT	5150 mm
WEIGHT	X

CONCC	ORDE 6
LENGTH	1005 mm
WIDHT	720 mm
HEIGHT	6150 mm
WEIGHT	X






Waste Bin MONO

MEASURES LENGTH 500 mm WIDHT 200 mm HEIGHT 820 mm WEIGHT 13 kg

- Housing completely from stainless steel
- Integrated ashtray
- Removable bin and ashtray

INTEGRATED ASHTRAY





Waste Bin DUE

MEA	SURES
LENGTH	570 mm
WIDHT	320 mm
HEIGHT	1020 mm
WEIGHT	33 kg

- Housing completely from stainless steel
- Integrated ashtray
- Removable bin and ashtray



TWO BINS



Carpet Agitator

MEASURES LENGTH 560 mm WIDHT 300 mm HEIGHT 1160 mm WEIGHT 27 kg

- Housing completely from stainless steel
- Robust design
- Removable tray



CAR MAT Carpet Holder & Agitator

MEAS	SURES
LENGTH	580 mm
WIDHT	180 mm
HEIGHT	1030 mm
WEIGHT	19 kg

- 2 in 1 function, Car Mat holder + Car Mat Agitator
- Housing completely from 3mm stainless steel
- Robust design





STOP TIME

Sink With Faucet

- MEASURESLENGTH530 mmWIDHT260 mmHEIGHT1060 mmWEIGHT21 kg
- Housing completely from stainless steel
- Tubular heater, 220V (frost protection)
- Faucet with Stop time function
- Superior appearance





CLIP Carpet Holder

MEA	SURES
LENGTH	60 mm
WIDHT	90 mm
HEIGHT	240 mm
WEIGHT	0.6 kg

- Made completely from stainless steel
- Ideal for hanging car mats in Car Wash Bays and Vacuuming stations








Lance Holder

Brush Holder


URES
450 mm
450 mm
770 mm
2 kg





MEASURES

- Product completely from stainless steel
- Fits to all Self Service Car Wash bays
- Patented design
- Ceiling boom for wash bay rotating 360°






Ceiling Boom WING DUO

MEASURES	
LENGTH	1860 mm
WIDHT	180 mm
HEIGHT	200 mm
WEIGHT	18 kg

- Product completely from stainless steel
- Fits to all Self Service Car Wash bays
- Patented design
- Each rotating 360°, ideal for open wash bay








Ceiling Boom WING SPEEDSTER

MEASURES LENGTH 1860 mm WIDHT 180 mm HEIGHT 200 mm

- Product completely from stainless steel
- Fits to all Self Service Car Wash bays
- Patented design
- Up to 3 ceiling booms each rotating 360° per wash bay













Ceiling Boom WING VACUUM

MEASURES	
LENGTH	1755 mm
WIDHT	200 mm
HEIGHT	314 mm
WEIGHT	13 kg

- Product completely from stainless steel
- Fits to all Self Service Car Wash bays
- Patented design







Helmet Holder

Vacuum Cleaner Hose Carrier with Spring

MEASURES	
LENGTH	200 mm
WIDHT	220 mm
HEIGHT	2300 mm
WEIGHT	10 kg

Product completely from stainless steel

- Fits to all Self Service Car Wash bays
- Patented design
- Ease to use







Product completely from stainless steel

- Holds a helmet, jacket and a bag
- Easy mounting
- Superior appearance



Traffic Light PRIMO


MEASURES		
LENGTH	340 mm	
WIDHT	80 mm	
HEIGHT	340 mm	
WEIGHT	7 kg	


- Control the flow of vehicles into your Car Wash with energy saving LED signage
- Outdoor LED Car Wash traffic lights notify users of open lanes and when they can enter the wash bay
- We offer green arrow light to communicate the open wash bay and red X sign for occupied wash bay
- It is an easy mount item which helps organising your vehicle flow especially during lateral wash bay approach

ENERGY SAVING LED SIGNAGE











Adriateh brand and all designs in this catalog are intelectually protected in WIPO Geneva.

Contact your local distributor

Adriateh d.o.o

Zagrebačka 2 10431 Sveta Nedelja – Novaki

> Tel: + 385 1 333 5 120 Fax:+ 385 1 333 5 122 info@adriateh.hr

Thank You for choosing our products!

Your Adriateh.



...where technology meets art.

