

ADRIATECH
TECHNOLOGY MEETS ART

2018
,9



Contents

Our Story	2
The Art of Manufacturing	4
Self Service Car Wash	6
• SFERICA	6
• QUADRA	10
• TERTIS	14
• LEGGERA	18
• MARTINA	22
Technology	26
• Technical Room	26
• Water Treatment	27
• HP Pumps and Solenoid Valves	28
• Water Heating System	29
• Low Pressure Pipes	30
• Main Control Unit	31
• Diagnostics & Telemetry	32
• Payment Models + R2W	33
• Moneychanger (Integrated and Stand Alone)	34
• Washing Programs	35
Additional Equipment	36
• Model MULTIQE 3 in 1	37
• Model NET	38
• Model QUADO	39
• Model QUADO 2 in 1	40
• Model MALI	41
Periphery	42
• Lamp Post CONCORDE	43
• Waste Bin MONO	44
• Waste Bin DUE	45
• Carpet Agitator	46
• CAR MAT Carpet Holder & Agitator	47
• Sink With Faucet	48
• CLIP Carpet Holder	49
• Lance Holder	50
• Brush Holder	51
• Ceiling Boom Wing	52
• Ceiling Boom Wing Duo	53
• Ceiling Boom Wing Speedster	54
• Ceiling Boom Wing Vacuum	55
• Vacuum Cleaner Hose Carrier with Spring	56
• Helmet Holder	57
• Traffic Light PRIMO	58

Our Story

Our Story

Started as small family firm in 1996, Adriateh developed an International Business spreading across 4 Continents and more than 40 Countries. Our products are recognized as extraordinary in functionality and quality, followed by avantgarde aesthetics and high user experience. The formula of success has been proven through importance of

patented design acting as an eye-catcher attracting new users where superb washing technology then assures your Self Service Car Wash Station become their favorite car care place.

Our continuous desire for perfection are our loyal customers and satisfaction of their daily users who enjoy washing

and cleaning their beloved cars on 482 locations around the globe.

All products & equipment needed for your Car Wash Station are designed and manufactured in our factory which makes Adriateh unique and reliable partner for your business.

We hope you will find your perfect match.





The Art of Manufacturing


The Art of Manufacturing

Our motto is to think individual. Every new order has its own specification and our team of 90 enthusiasts clearly follows new requirements supported with state of the art machinery, mastering an outstanding product. Responsible for every single element crafted in our factory we can say it is truly “our product”. Approximately 1500 components are assembled into

one system where quality has been placed on the highest level. That is why we collaborate only with the best brands supplying us with “heavy duty” components able to perform toughest demands. Being transparent with our customers means being loyal. Following that thought we can proudly say that all our components in technical room are

labeled with original manufacturers brand name. Our mission is a knowhow of their performance formed into one complex machine providing only the best output.

Our intellectually patented designs are harmonized with EU standards and quality controlled through SGS ISO 9001-2000 certification.






Self Service Car Wash SFERICA

Self Service Car Wash

Simple and effective. Designed with the aim to catch the attention of potential customers.

With "WA" facelift version we have uplifted the overall look&feel in order to maintain extraordinary appearance.






For everything else here is cutting edge technology!
Confirmed formula for successful business.

STANDARD

SFERICA Car Wash Structure

Self Service Car Wash



DIMENSIONS

Wash bay width	4700 mm
Technical room bay width	3000 mm
Depth	6800 mm
Height	max. vehicle height 2.6 m

TECHNICAL DESCRIPTION

- Arches, beams, carriers, metal parts are made of stainless steel (except roof transverse beams which are made of hot galvanized steel)
- Wash bays and technical room separated with insulated 30mm "sandwich" white panels
- Spherical Polycarbonate roof with steel beams, welded edges and UV protection
- Decorative masks for roof endings available in any RAL colour
- Plastic drainpipes (without discharge to sewage), assembly at the location
- Standard Static calculation: Top Load (Snow) of 100 kg/m² and Wind pressure of 25 m/s.
NOTE: Individual Static calculation can be done upon request

LIGHTING OF WASH STATION

- Permanent lighting (activated automatically after dusk) 4 LED lamps per wash bay

ADDITIONS TO THE CAR WASH STRUCTURE:

- WA design of panel dividers as visible on photos
- Traffic light for showing occupancy of each wash bay
- Barrier against splashing for open wash bay, outer side with central column, frames and panels
- Wash bay separations available in coloured plexi or glass material

Panels can be covered with matte laminated adhesive label with standard Adriatech or individual artwork design.

CONTROL UNIT

- Stand alone housing made of stainless steel, burglary safe
- Control unit equipped with 6" Schneider Touch screen with possibility to use six different coins
- STOP button installed on each control unit for emergency stop or for operation stopping (time goes on)





Self Service Car Wash QUADRA

Conventional and comfortable, yet different. Again we were thinking about You, in order to provide complete experience to your end customers.

Self Service Car Wash







Ideal for all climates!

STANDARD

QUADRA Car Wash Structure

Self Service Car Wash



DIMENSIONS

Wash bay width	5100 mm
Technical room bay width	3000 mm
Depth	6800 mm
Height	max. vehicle height 2.6 m



TECHNICAL DESCRIPTION

- Beams, carriers, metal parts are made of stainless steel except roof transverse beams which are made of hot galvanized steel
- Each Wash bay is equipped with 4 LED lamps
- Integrated digital token machine in every wash bay made of stainless steel, burglary safe with key and lock
- Roof insulated panel 40+80mm, RAL 9002 white, self-supporting model
- Wall insulated smooth panel dividers 30mm, RAL 9002 white, placed between wash bays

OPTION:

Wall insulated smooth panels can be covered with matte laminated adhesive label with standard Adriateh artwork design.

CONTROL UNIT

- Integrated digital interface unit in every wash bay equipped with 6 inch Schneider Touch screen with possibility to use six different coins
- STOP button integrated in touchscreen interface for emergency stop or for operation stopping (time goes on)
- Housing made of stainless steel, burglary safe



Self Service Car Wash TERTIS

Self Service Car Wash

Avant-garde is in front of you! "State of the art" design will satisfy users who appreciate the aesthetic value.







*Allow your customers to feel special & outstanding.
Allow them Tertis!*

STANDARD

TERTIS Car Wash Structure

Self Service Car Wash




DIMENSIONS

Wash bay width	5000 mm
Technical room bay width	3000 mm
Depth	6800 mm
Height	max. vehicle height 2.6 m

CONTROL UNIT

- Integrated digital interface unit in every wash bay equipped with 6 inch Schneider Touch screen with possibility to use six different coins
- STOP button integrated in touchscreen interface for emergency stop or for operation stopping (time goes on)
- Housing made of stainless steel, burglary safe
- Roof insulated panel 40+80mm, RAL 9002 white, self-supporting model
- Wall insulated smooth panel dividers 30mm, RAL 9002 white, placed between wash bays



TECHNICAL DESCRIPTION


- Beams, carriers, metal parts are made of stainless steel except roof transverse beams which are made of hot galvanized steel

LIGHTING OF WASH STATION

- Each Wash bay is equipped with 4 LED lamps

OPTION:

- Wall insulated smooth panels can be covered with matte laminated adhesive label with standard Adriateh artwork design



Self Service Car Wash LEGGERA

Self Service Car Wash

Light and approachable. Simple asymmetrical design assure standing out from the crowd. The "heart" of all our designs is supported with cutting edge technology.







Self-Service Car Wash



STANDARD

LEGGERA Car Wash Structure

Self Service Car Wash



DIMENSIONS

Wash bay width	5000 mm
Technical room bay width	3000 mm
Depth	6200 mm
Height	max. vehicle height 2.6 m

TECHNICAL DESCRIPTION

- Beams, carriers, metal parts are made of stainless steel except roof transverse beams which are made of hot galvanized steel
- Each Wash bay is equipped with 4 LED lamps



CONTROL UNIT

- Integrated digital interface unit in every wash bay equipped with 6 inch Schneider Touch screen with possibility to use six different coins
- STOP button integrated in touchscreen interface for emergency stop or for operation stopping (time goes on)
- Housing made of stainless steel, burglary safe
- Roof insulated panel 40+80mm, RAL 9002 white, self-supporting model
- Wall insulated smooth panel dividers 30mm, RAL 9002 white, placed between wash bays



OPTION:

- Wall insulated smooth panels can be covered with matte laminated adhesive label with standard Adriateh artwork design



Self Service Car Wash

Self Service Car Wash MARTINA

Future today. An inspiration which leaves you breathless. Pure High tech in every sense of the word. Nothing similar was seen on the market yet and we are sure your car wash users will love it.

Self Service Car Wash







STANDARD

MARTINA Car Wash Structure

Self Service Car Wash



DIMENSIONS

Wash bay width	5000 mm
Technical room bay width	3000 mm
Depth	6200 mm
Height	max. vehicle height 2.6 m

TECHNICAL DESCRIPTION

- Beams, carriers, metal parts are made of stainless steel except roof transverse beams which are made of hot galvanized steel
- Each Wash bay is equipped with 4 LED lamps



CONTROL UNIT

- Integrated digital interface unit in every wash bay equipped with 6 inch Schneider Touch screen with possibility to use six different coins.
- STOP button integrated in touchscreen interface for emergency stop or for operation stopping (time goes on)
- Housing made of stainless steel, burglary safe
- Roof insulated panel 40+80mm, RAL 9002 white, self-supporting model
- Wall insulated smooth panel dividers 30mm, RAL 9002 white, placed between wash bays



Self Service Car Wash

OPTION:

- Wall insulated smooth panels can be covered with matte laminated adhesive label with standard Adriateh artwork design.



Technical Room

Technology

TYPE 1 with dimensions:

- W: 2330mm x L: 5960mm x H: 2580mm

TYPE 2 with dimensions:

- W: 1500mm x L: 5960mm x H: 2580mm
- Internal height 2345mm, strengthening made of steel pipes, under the container galvanized sheet metal thickness 2mm from the lower side, reinforced bearing structure, rock wool insulation 100 mm, steam dam of PE films, wooden waterproof panels + end plate of aluminium anti slide 2+1 mm ("Tear" design)
- Container top - upside flat galvanized sheet metal thickness 0,5 mm, polyurethane insulated sheet metal panels thickness 50mm underside
- Walls of container - polyurethane insulated sheet metal panels thickness 50mm
- Insulated metal door with dimensions: 2030 x 850 mm
- Standard outside colour Anthracite RAL 7016, Adriatech logo on the top edges of stainless steel frame
- LED lighting in technical room with switch
- Electrical heater Vaillant for a container interior

TYPE 1

TYPE 2



ADRIATECH
TECHNOLOGY MEETS ART


Water Treatment

FILTER FOR WATER ENTERING OSMOSIS SYSTEM

- Fresh water filter on stainless steel carrier, with replaceable 50 micron cartridge
- Electronically controlled central unit for water softening 5000 l/hour, DUPLEX system with 200 l salt container
- Electronically controlled central unit for osmotic water ("spot-free" rinsing), three (3) membranes (Cartridges in stainless steel)
- Osmosis returns the labour surplus water to reservoir of soft water (reduced waste)
- Automatic switching between osmosis and softener; in case of water supply failure all available water from all programs is pumped for washing
- Central dosing system with electronic float, inox spiral controlled electronically with possibility of individual regulation of chemicals for each wash program, each wash bay separately - if one of pumps breaks down other wash bays operate normally

OPTION:

- Anti-freeze system in circulation
- Reservoir for this system must be arranged by investor/client building it into the ground
- Settings and controls manageable on touch screen computer



HP Pumps and Solenoid Valves

HIGH PRESSURE PUMPS MODEL CAT 350

- Made in Japan, with pressure shock absorbers and safety valves installed as standard
- Electric motors strength 2,2kW, 400V, 945 rpm

GRUNDFOS GROUP WATER PUMPS

DANFOSS ELECTROMAGNETIC VALVES

- Dosing pumps for wax and all other washing chemistry/programs with possibility of individual regulation, for each wash bay separately - if one of pumps breaks down other wash bays works normally

OPTION:

- BURKERT Air valves made of stainless steel for extended life span



Water Heating System

ACV HEATMASTER-N: HIGH PERFORMANCE, COMBINED DIRECT FIRED BOILER AND WATER HEATER

- Energy type: Diesel or Gas
- Stainless steel tank in tank design. Can also be used as a stand alone water heater
- Low NOx premix gas or LPG Forced draught natural gas or LPG Pressure jet 28 sec or 35 sec oil
- Anti-Legionellae: Hot water stored at a consistently high temperature
- Body completely insulated in rigid polyurethane foam
- Stove enameled casing
- Control panel with Control Thermostat, T+P Gauge, Time Clock, Manual reset high limit thermostat, On/Off Switch, Summer/Winter Switch
- Polyethylene ROTEX water tanks required for the operation of the machine
- Inlet water tank capacity 1,000L
- Softened water tank capacity 1,000L and osmotic water tank capacity 2 X 1,000L
- Electronic floats for reservoirs



Low Pressure Pipes



Technology

- Geberit low pressure pipes, homogeneous and non-delaminating composite pipe
- Internally and externally corrosion resistant
- Low thermal expansion
- Diffusion resistant
- All layers are bonded with adhesive ensuring a strong flexible pipe



Main Control Unit

- Protected electrical cabinet with all built in electronic elements
- Machine management and supervision through Schneider computer equipped with 11" touchscreen interface
- Billing preferences manageable through PIN PROTECTED Menu
- Reading of traffic at any workplace, as total and from last reset, summation of the current traffic and traffic total for all wash bays
- Self-diagnostic system, in case of failure, locations shown on scheme along with explanation (approximately 90% of failures) Osmosis, water softener, central powder agitator, anti-freeze system, lighting and all operations of the machine management and supervision through touch screen Schneider computer
- Automatic anti-freeze system with settings and controls Schneider touchscreen interface, with electromagnetic valves. Adriatech use valves which are "normally opened", it means when under voltage they are "closed" and they are managed by the machine PLC. In a case of electric power failure, valves are opened and using this way an anti-freeze system is working and protecting complete machine.





Diagnostics & Telemetry

Technology

Stay up to date with your Car Wash business when you are not physically there.

With our advanced diagnostics and telemetry system you have ability of multiple functions such as:

- Remote reading of complete operational statistics from your PC or Smartphone
- Graphic and textual overview of machine workflow
- Graphic and textual report of machine malfunction
- Separated counters for coins, Adriatech tokens and magnetic keys
- Encrypted data available only to you



Payment Models + R2W

With constant development and innovations we offer our customers several ways of payment – apart from coins, Adriateh tokens, refillable magnetic keys and SMS mobile payment, we offer something completely new on the market.

YOUR CUSTOMER HAS NEW HABITS, CAN YOU ANSWER?

Digital transformation in Car Wash industry enables Car Wash owners better decision-making and adjusts to new age customers habits.

Ready2Wash is a complete Car Wash software solution which enables Car Wash investors:

- Real-time Reports
- Financial overview for a single or multiple car wash stations
- Management of multiple car wash stations, from any location
- Reward program for your loyal customers
- Cashless payment for Car Wash services
- To spread business outside of the car wash

SECURE REAL-TIME REPORTS

Gives you sales history, visitor frequency rate and insights into customer behavior. Create a new business strategy and make better decisions based on real-time data

YOUR CAR WASH IS JUST A CLICK AWAY

Ready2Wash helps you manage multiple stations from any location. Now you can monitor all your working processes, malfunctions and react on time if there is any problem. You can access your car wash Dashboard from desktop, tablet or phone.

LOYALTY & CUSTOMER CARE

Meet and reward your loyal customers even when you are not at your car wash. Create different reward programs for your loyal customers based on their habits. Show offers and promotions on customer's mobile phone and give him a reason to come back.

SECURE CASHLESS PAYMENT AND DIGITAL TOKENS

Ready2Wash can replace coins, metal tokens or Euro key with DIGITAL TOKEN. The customer can start a car wash service directly from his mobile phone and buy digital tokens completely cashless. Cashless payment is provided with the 3D Secure system.

SPREAD YOUR BUSINESS

Now you can sell or promote your business outside of your car wash and merge with various local businesses. Ready2Wash enables you to create vouchers with digital tokens and distribute them easily.

READY2WASH SOLUTION INCLUDES:

- Ready2Wash app for car wash owners
- Ready2Wash mobile app for car wash users
- MY Ready2Wash web portal for car wash users



Moneychanger (Integrated and Stand Alone)

AT Paybase model is equipped with 8" touchscreen interface for comfortable communication with money change machine including banknote reader as standard with integrated banknotes storage unit.

This model gives you possibility to exchange banknotes into coins and Adriatech tokens, accepting up to 15 different coin variations. It is fully compatible with "READY2WASH" monitoring and management system.

Remote access system allows you direct connection from your desktop computer for daily traceability, reporting and monitoring of money exchange, status of coins in money changer, unsuccessful transactions etc.

Completely made of stainless steel, money change machine can be integrated within technical room or individually as stand-alone unit in separate stainless steel housing.

OPTIONS:

- Coin acceptor
- Additional hopper (capacity 1500 coins)
- Euro-key acceptor
- Printer for billing
- Decorative stainless steel mask with LED light





Washing Programs

We love our users and we want to give them every reason to come see us often. We also understand different types of customers have

different needs and preferences. That's why we offer additional wash options, including those developed for the most demanding car owners.

Check out the different programs we offer and find out which one suits your needs best.

Technology



Additional Equipment

In order to boost your Car Wash Station we have found the way to increase your offering content for your respected users.

Nowadays, Vacuum cleaner became a standard piece of equipment which does not satisfy whole range of Car Care. That is why we went step further and

developed multiple varieties in several housing designs, such as dry cleaning machine for keeping the hygiene of vehicle interior at the highest level, adding to that machine fragrance dispersion for further interior refreshment. From vehicle exterior we have covered Tyre care with the functionalities of inflating and lubricating lateral tyre

surface. Last but not least there is Windscreen liquid machine available for refilling your container with summer or winter detergent, depends on the season.

We hope you will find the perfect combination for your Car Wash Station.



Model MULTIQE 3 in 1

We can offer several products in Model MULTIQE 3 in 1 housing.

MEASURES

LENGTH	1085 mm
WIDTH	850 mm
HEIGHT	1680 mm
WEIGHT	135 kg

- Housing completely from stainless steel
- **OPTION:** High pressure air (external air compressor)

PRODUCT 1

VACUUM CLEANER
or SELF CLEANING
VACUUM CLEANER

+ SHINY BLACK TYRE

+ PARFUME FOR CAR
INTERIOR

PRODUCT 2

VACUUM CLEANER
or SELF CLEANING
VACUUM CLEANER

+ SHINY BLACK TYRE

+ WINDSCREEN LIQUID

PRODUCT 3

VACUUM CLEANER
or SELF CLEANING
VACUUM CLEANER

+ PARFUME FOR CAR
INTERIOR

+ WINDSCREEN LIQUID



Additional Equipment

3 in 1



Model NET

We can offer several products in Model NET housing like Vacuum Cleaner, Tyre Inflator and Dry Cleaner.

Additional Equipment

MEASURES

LENGTH	630 mm
WIDHT	530 mm
HEIGHT	1780 mm
WEIGHT	108 kg

PRODUCT 1

VACUUM CLEANER /
SELF CLEANING
VACUUM CLEANER

OPTION: HOSE CARRIER
WITH SPRING

PRODUCT 2

TYRE INFLATOR
MACHINE

OPTION: WITH PAYMENT /
WITHOUT PAYMENT

PRODUCT 3

DRY CLEANING

- Housing completely from stainless steel - material weight 57 kg
- 3 kW turbine
- Designed for 6 different coins or tokens
- PLC for time, money turnover and business management
- Anti theft measure - 30mm recessed door
- Separated doors, telescopic door opening for PLC and token machine and other door for cleaning and emptying the container
- **OPTION:** Hose carrier with spring



HOSE CARRIER
with spring



Model QUADO

We can offer several products in Model QUADO housing like Vacuum Cleaner, Tyre Inflator, Tyre Lubricant, Perfume for car interior and Windscreen Liquid.

MEASURES	
LENGTH	630 mm
WIDTH	530 mm
HEIGHT	1480 mm
WEIGHT	95 kg

- Housing completely from stainless steel
- 3 kW turbine
- Designed for 6 different coins or tokens
- PLC for time, money turnover and business management
- **OPTION:** Hose carrier with spring

PRODUCT 1
VACUUM CLEANER
OPTION: HOSE CARRIER WITH SPRING



PRODUCT 2
TYRE INFLATOR MACHINE
OPTION: WITH PAYMENT / WITHOUT PAYMENT

PRODUCT 3
TYRE LUBRICANT

PRODUCT 4
PARFUME FOR CAR INTERIOR

PRODUCT 5
WINDSCREEN LIQUID



Model QUADO 2 in 1

We can offer several products in Model QUADO housing.

Additional Equipment

MEASURES	
LENGTH	630 mm
WIDTH	530 mm
HEIGHT	1480 mm
WEIGHT	95 kg

- Housing completely from stainless steel
- 3 kW turbine
- Designed for 6 different coins or tokens
- PLC for time, money turnover and business management
- **OPTION:** Hose carrier with spring



PRODUCT 1
SHINY BLACK TYRE
+ TYRE INFLATOR

PRODUCT 2
SHINY BLACK TYRE
+ PARFUME FOR CAR INTERIOR

PRODUCT 3
PARFUME FOR CAR INTERIOR
+ TYRE INFLATOR

PRODUCT 4
PARFUME FOR CAR INTERIOR
+ WINDSCREEN LIQUID

PRODUCT 5
WINDSCREEN LIQUID
+ TYRE INFLATOR
OPTION: ONE PAYMENT / TWO PAYMENTS

PRODUCT 6
WINDSCREEN LIQUID
+ SHINY BLACK TYRE



Model MALI

We can offer several products in Model MALI housing like Tyre Lubricant, Wheel Cleaner or Insects remover, Perfume for car interior and Windscreen Liquid.

MEASURES

LENGTH	473 mm
WIDHT	400 mm
HEIGHT	1480mm
WEIGHT	58 kg



PRODUCT 1

SHINY BLACK TYRE

PRODUCT 2

WHEEL CLEANER /
INSECTS REMOVER

PRODUCT 3

PARFUME FOR CAR
INTERIOR

PRODUCT 4

WINDSCREEN LIQUID

OPTION: WITH PAYMENT /
WITHOUT PAYMENT

WITH or WITHOUT
payment



Periphery

Periphery

After 25 years of experience in Self Service Car Wash Business we can proudly present Adriatech peripheral product line as a result of intensive collaboration with our loyal customers.

High quality, robust, easy handling and innovative products

made out of corrosion resistant materials were the right formula for development of daily use assortment on your beloved Car Wash station.

Stay different. We believe in enriching your Car Wash Station

with products and experiences which will differ you from the other Car Wash providers.

Our development does not ends here as we constantly monitor customers behavior and continuously improve their experience.




Lamp Post CONCORDE

Designed from the ground up as a street and area lighting system, the Concorde lamp post model combined with CREE, XSP High Output LED light delivers incredible efficiency without sacrificing application performance.

The XSP High Output Series is the better alternative for traditional street and area lighting with quick payback and improved performance.

Applications: Car Wash lots, parking lots, roadway, walkways and general area spaces.

Periphery



CONCORDE 4	
LENGTH	1005 mm
WIDHT	720 mm
HEIGHT	4150 mm
WEIGHT	x

CONCORDE 5	
LENGTH	1005 mm
WIDHT	720 mm
HEIGHT	5150 mm
WEIGHT	x

CONCORDE 6	
LENGTH	1005 mm
WIDHT	720 mm
HEIGHT	6150 mm
WEIGHT	x



LED lighting

Waste Bin MONO

Periphery

MEASURES	
LENGTH	500 mm
WIDHT	200 mm
HEIGHT	820 mm
WEIGHT	13 kg

- Housing completely from stainless steel
- Integrated ashtray
- Removable bin and ashtray

INTEGRATED ASHTRAY



Waste Bin DUE

MEASURES

LENGTH	570 mm
WIDHT	320 mm
HEIGHT	1020 mm
WEIGHT	33 kg

- Housing completely from stainless steel
- Integrated ashtray
- Removable bin and ashtray

Periphery



TWO BINS




Carpet Agitator

Periphery

MEASURES	
LENGTH	560 mm
WIDHT	300 mm
HEIGHT	1160 mm
WEIGHT	27 kg

- Housing completely from stainless steel
- Robust design
- Removable tray



CAR MAT

Carpet Holder & Agitator

MEASURES

LENGTH	580 mm
WIDTH	180 mm
HEIGHT	1030 mm
WEIGHT	19 kg

- 2 in 1 function, Car Mat holder + Car Mat Agitator
- Housing completely from 3mm stainless steel
- Robust design



Sink With Faucet

Periphery

MEASURES	
LENGTH	530 mm
WIDHT	260 mm
HEIGHT	1060 mm
WEIGHT	21 kg

- Housing completely from stainless steel
- Tubular heater, 220V (frost protection)
- Faucet with Stop time function
- Superior appearance

STOP TIME



CLIP Carpet Holder

MEASURES	
LENGTH	60 mm
WIDTH	90 mm
HEIGHT	240 mm
WEIGHT	0.6 kg

- Made completely from stainless steel
- Ideal for hanging car mats in Car Wash Bays and Vacuuming stations



Lance Holder

Periphery

MEASURES	
LENGTH	450 mm
WIDHT	450 mm
HEIGHT	770 mm
WEIGHT	2 kg



Brush Holder

MEASURES

LENGTH	340 mm
WIDHT	140 mm
HEIGHT	670 mm
WEIGHT	8 kg




Periphery

Ceiling Boom WING

Periphery

MEASURES	
LENGTH	1860 mm
WIDHT	180 mm
HEIGHT	200 mm
WEIGHT	9 kg


- Product completely from stainless steel
- Fits to all Self Service Car Wash bays
- Patented design
- Ceiling boom for wash bay rotating 360°



Ceiling Boom WING DUO

MEASURES	
LENGTH	1860 mm
WIDHT	180 mm
HEIGHT	200 mm
WEIGHT	18 kg

- Product completely from stainless steel
- Fits to all Self Service Car Wash bays
- Patented design
- Each rotating 360°, ideal for open wash bay



Periphery






Ceiling Boom WING SPEEDSTER

Periphery

MEASURES	
LENGTH	1860 mm
WIDHT	180 mm
HEIGHT	200 mm
WEIGHT	9 kg

- Product completely from stainless steel
- Fits to all Self Service Car Wash bays
- Patented design
- Up to 3 ceiling booms each rotating 360° per wash bay





Ceiling Boom WING VACUUM

MEASURES

LENGTH	1755 mm
WIDHT	200 mm
HEIGHT	314 mm
WEIGHT	13 kg

- Product completely from stainless steel
- Fits to all Self Service Car Wash bays
- Patented design

Periphery



Vacuum Cleaner Hose Carrier with Spring

Periphery

MEASURES

LENGTH	200 mm
WIDHT	220 mm
HEIGHT	2300 mm
WEIGHT	10 kg

Product completely from stainless steel

- Fits to all Self Service Car Wash bays
- Patented design
- Ease to use



Helmet Holder

MEASURES

LENGTH	210 mm
WIDHT	197 mm
HEIGHT	69 mm
WEIGHT	0.3 kg

Product completely from stainless steel

- Holds a helmet, jacket and a bag
- Easy mounting
- Superior appearance

Periphery





Traffic Light PRIMO

Periphery

MEASURES	
LENGTH	340 mm
WIDHT	80 mm
HEIGHT	340 mm
WEIGHT	7 kg

- Control the flow of vehicles into your Car Wash with energy saving LED signage
- Outdoor LED Car Wash traffic lights notify users of open lanes and when they can enter the wash bay
- We offer green arrow light to communicate the open wash bay and red X sign for occupied wash bay
- It is an easy mount item which helps organising your vehicle flow especially during lateral wash bay approach

ENERGY SAVING
LED SIGNAGE





Adriateh brand and all designs in this catalog are intellectually protected in WIPO Geneva.

Contact your local distributor.

Adriateh d.o.o

Zagrebačka 2
10431 Sveta Nedelja - Novaki

Tel: + 385 1 333 5 120

Fax: + 385 1 333 5 122

info@adriateh.hr

*Thank You for choosing our products!
Your Adriateh.*



...where technology meets art.

